


**MIN ZOOM**

**Beam opening**




**Intensity**

Distance (m)	5		10		15		20	
unit	lux	diameter	lux	diameter	lux	diameter	lux	diameter
White	34940	0,61	8543	1,26	3865	1,89	2139	2,52

**MIDDLE ZOOM**

**Beam opening**




**Intensity**

Distance (m)	5		10		15		20	
unit	lux	diameter	lux	diameter	lux	diameter	lux	diameter
White	4573	2,02	1065	3,9	539	5,98	310	7,9

**MAX ZOOM**

**Beam opening**



**Intensity**

Distance (m)	5		10		15		20	
unit	lux	diameter	lux	diameter	lux	diameter	lux	diameter
White	728	5,43	235	10,86	118	16,29	70	21,72



<b>Total Flux</b>	14285 lm (@zoom 90)
-------------------	---------------------

<b>CCT @LED engin</b>	7000 (±450K)
<b>CCT @open</b>	6092 (±450K)
<b>Ra @open</b>	90 (±2)
<b>TLCI</b>	90
<b>TM-30</b>	TBA

<b>Fan Mode</b>	<b>Noise Level (dBA)</b>	<b>Flux (lm)</b>
<b>Auto Mode</b>	44,7	14285
<b>Silence Mode</b>	38,7	11610
<b>Stage Mode</b>	49,1	14599
<b>Studio Mode</b>	40,6	13553

Note: noise measured @1m distance, static status, ambient 31 dBA.

<b>Voltage / Power</b>	100-240V, 50-60HZ	550W
<b>Fixture Dimension / Weight</b>	364.9x210.6x631.6mm	22Kg
<b>Packing Dimension / Weight</b>	44.5x29.5x77cm	30.5Kg