

Gobogrößen

	Code	Aussenmass	Innenmass
Clay Paky			
Alpha Beam 1500		37.5 mm	25 mm
Alpha Beam 300		31.5 mm	25 mm
Alpha Beam 700		25.7 mm	23 mm
Alpha Profile 1200		37.5 mm	25 mm
Alpha Profile 1500		37.5 mm	25 mm
Alpha Profile 700		25.7 mm	23 mm
Alpha Profile 800		25.7 mm	19 mm
Alpha Spot 300		25.7 mm	23 mm
Alpha Spot 575		37.5 mm	25 mm
Alpha Spot 700		37.5 mm	25 mm
Alpha Spot 80°		37.5 mm	25 mm
Alpha Spot Easy 1200		37.5 mm	25 mm
Alpha Spot HPE 1200		37.5 mm	25 mm
Alpha Spot HPE 1500		37.5 mm	25 mm
Alpha Spot HPE 300		25.7 mm	23 mm
Alpha Spot HPE 575		37.5 mm	25 mm
Alpha Spot HPE 700		25.7 mm	23 mm
Alpha Spot QWO 800		25.7 mm	23 mm
Golden Scan		66 mm	43 mm
Golden Scan HPE		51.8 mm	36 mm
Golden Spot 1200		51.8 mm	36 mm
MiniScan HP3		25.8 mm	19 mm
S.I.P. 300		31.5 mm	24 mm
Sharp			
Stage Profile Plus		51.8 mm	48.7 mm
Stage Scan		51.8 mm	36 mm
Stage Zoom 1200		51.8 mm	36 mm
Super Scan		66 mm	57 mm
Super Scan Zoom		51.8 mm	36 mm
Tiger Scan		51.8 mm	36 mm
V.I.P. 1200		31.5 mm	24 mm
V.I.P. 150		51.8 mm	33 mm
V.I.P. 250 ALO		31.5 mm	24 mm
V.I.P. 250 ALO/ST		31.5 mm	24 mm
V.I.P. 300		51.8 mm	33 mm
V.I.P. 300 DIA		51.8 mm	33 mm
Martin			
Ego 1 - 3 (Wheel)		120.0 mm	16.0 mm
Ego 2		22.5 mm	17.0 mm
Exterior 1200 Image Projector		53.3 mm	48.0 mm
Imager		53.3 mm	40.0 mm
ImageScan m. Adaptering	E	37.5 mm	28.0 mm
ImageScan o. Adaptering		53.3 mm	40.0 mm
MAC 2000 (Glas)	E	37.5 mm	28.0 mm
MAC 2000 (Metall)		37.5 mm	30.0 mm
MAC 2000 Performance II		37.5 mm	30.0 mm
MAC 2000 Profile / Profile II		37.5 mm	30.0 mm
Mac 2000 Spot		37.5 mm	30.0 mm
MAC 250		22.5 mm	17.0 mm

MAC 250 Entour		22.5 mm	17.0 mm
MAC 250 Krypton		22.5 mm	17.0 mm
MAC 250+		22.5 mm	17.0 mm
MAC 500		27.8 mm	23.0 mm
MAC 350 Entour		27.8 mm	23.0 mm
MAC 550		27.8 mm	23.0 mm
MAC 575		27.8 mm	23.0 mm
MAC 575 Krypton		27.8 mm	23.0 mm
MAC 700		27.8 mm	23.0 mm
MAC 700 Profile		27.9 mm	23.0 mm
Mac III Performance		37.5 mm	30.0 mm
Mac III Profile		37.5 mm	30.0 mm
Mania DC2		53.3 mm	25.0 mm
Mania DC3		53.3 mm	38.0 mm
Mania DL2		53.3 mm	38.0 mm
Mania PR1		53.3 mm	40.0 mm
Mania SCX 600		22.5 mm	17.0 mm
Mania SCX 700		22.5 mm	17.0 mm
Mania SCX 800		22.5 mm	17.0 mm
MiniMAC Maestro		37.3 mm	30.0 mm
MiniMAC Profile		22.5 mm	17.0 mm
MX-10 Extreme		22.5 mm	17.0 mm
PAL 1200 (Glas)		50.0 mm	40.0 mm
PAL 1200 (Metall)		53.3 mm	40.0 mm
Pro 1220		37.5 mm	30.0 mm
Roboscan Pro 1220		37.5 mm	30.0 mm
Roboscan Pro 518		21.5 mm	14.0 mm
Roboscan Pro 918		27.8 mm	23.0 mm
Smart MAC		27.9 mm	23.0 mm
SmartMac		27.9 mm	23.0 mm
MAC Viper		37.5 mm	27.0 mm
MAC Viper Performance		37.5 mm	27.0 mm
Rush MH1 Profile		26.5 mm	22.0 mm

JB LIGHTING

Varyscan 4 575 Compact	E	37.5 mm	28.0 mm
Varyscan 6	E	37.5 mm	28.0 mm
Varyscan P2 250 HTI		37.5 mm	33.0 mm
Varyscan 4 EV 1200		68.0 mm	66.0 mm
Varyscan 7 1200 HMI		51.8 mm	48.0 mm
Varyscan P3 250 HTI		37.5 mm	33.0 mm
Varyscan P6 575 HMI		51.8 mm	48.0 mm
Varyscan P8			

SELECON

Accent (Architectural)		37.5 mm	24.0 mm
Acclaim Axial Zoomspot 18-34	M	66.0 mm	48.0 mm
Acclaim Axial Zoomspot 24-44	M	66.0 mm	48.0 mm
Acclaim Zoomspot 18-34	M	66.0 mm	48.0 mm
Acclaim Zoomspot 24-44	M	66.0 mm	48.0 mm
Arena Zoomspot 14-32	A	100.0 mm	75.0 mm
Arena Zoomspot 20-37	A	100.0 mm	75.0 mm
Arena Zoomspot 9-18	A	100.0 mm	75.0 mm
Aureol	E	37.5 mm	28.0 mm
Aureol Beamshaper	E	37.5 mm	28.0 mm
Selecon Display Profile 75 W	E	37.5 mm	28.0 mm

	Code	Aussenmass	Innenmass
Selecon Display Profile LED	E	37.5 mm	28.0 mm
Selecon Display Profile 20 W	E	37.5 mm	28.0 mm
Selecon Display Profile 35 W	E	37.5 mm	28.0 mm
Pacific 20	A	100.0 mm	75.0 mm
Pacific 30	A	100.0 mm	75.0 mm
Pacific 40	A	100.0 mm	75.0 mm
Pacific 50	A	100.0 mm	75.0 mm
Pacific 90	A	100.0 mm	75.0 mm
Pacific Zoom 12-28	M	66.0 mm	48.0 mm
Pacific Zoom 14-35		86.0 mm	64.0 mm
Pacific Zoom 18-32	M	66.0 mm	48.0 mm
Pacific Zoom 23-50	A	100.0 mm	75.0 mm
Pacific Zoom 5-13	M	66.0 mm	48.0 mm
Zoom Profile 1200 (Metall)	A	100.0 mm	75.0 mm
Selecon SPX	B	86.0 mm	64.0 mm
Selecon PL4	B	86.0 mm	64.0 mm
Selecon PL1 Profile	M	66.0 mm	48.0 mm

Strand Lighting

Strand SL	B	86.0 mm	64.5 mm
Strand Cantata	B	86.0 mm	64.5 mm
Strand Prelude	B	86.0 mm	64.5 mm
Strand Optique	M	66.0 mm	48.0 mm
Strand Quartet	M	66.0 mm	48.0 mm
Strand Harmony	B	86.0 mm	64.5 mm
Strand Alto	A	100.0 mm	75.0 mm
Strand Cadenza	B	86.0 mm	64.5 mm

Osram

Kreios G1 LED	E	37.5 mm	28.0 mm
---------------	---	---------	---------

Robert Juliat

ZEP 643SX	A	100.0 mm	75.0 mm
ZEP 644SX	A	100.0 mm	75.0 mm
ZEP 641SX	A	100.0 mm	75.0 mm
613SX	A	100.0 mm	75.0 mm
614SX	A	100.0 mm	75.0 mm
611SX	A	100.0 mm	75.0 mm
713SX2	A	100.0 mm	75.0 mm
714SX2	A	100.0 mm	75.0 mm
710SX2	A	100.0 mm	75.0 mm
711SX2	A	100.0 mm	75.0 mm
423SX	A	100.0 mm	75.0 mm
424SX	A	100.0 mm	75.0 mm
421SX	A	100.0 mm	75.0 mm
933SNX	A	100.0 mm	75.0 mm
934SNX	A	100.0 mm	75.0 mm
930SNX	A	100.0 mm	75.0 mm
TIBO 533	M	66.0 mm	48.0 mm
TIBO 503	M	66.0 mm	48.0 mm
TIBO 513	M	66.0 mm	48.0 mm
TIBO 523	M	66.0 mm	48.0 mm
ARAMIS		86.0 mm	55.0 mm
CYRANO		86.0 mm	55.0 mm
SUPER KORRIGAN		100.0 mm	72.0 mm

VICTOR		100.0 mm	72.0 mm
TOPAZE		100.0 mm	72.0 mm
MANON		100.0 mm	72.0 mm
LUCY		100.0 mm	72.0 mm
LANCELOT		100.0 mm	72.0 mm
GINGER		100.0 mm	72.0 mm
FLO		100.0 mm	72.0 mm
CRICKET		100.0 mm	72.0 mm
BUXIE		100.0 mm	72.0 mm
ALEX		100.0 mm	72.0 mm

ETC

Revolution		66.0 mm	59.0 mm
Source Four	B	86.0 mm	59.0 mm
Source Four Jr	M	66.0 mm	43.0 mm

High End Systems

Cyberlight		44.0 mm	38.0 mm
Cyberlight Turbo		44.0 mm	38.0 mm
Image Marketing Projector		37.5 mm	35.0 mm
intellabeam		25.0 mm	22.0 mm
Studio Spot (FX)		36.32 mm	31.75 mm
Studio Spot (Gobo)		36.45 mm	31.75 mm
Studio Spot 250 (FX)		36.0 mm	26.0 mm
Studio Spot 250 (Gobo)		25.0 mm	20.0 mm
Studio Spot 575 (Gobo)		36.3 mm	31.0 mm
Technobeam		25.0 mm	20.0 mm
Technobeam Effects		31.5 mm	26.0 mm
Trackspot		25.0 mm	18.0 mm
X Spot		36.4 mm	31.75 mm
SolaSpot CMY			
SolaSpot			

ROBE

ClubScan 250 CT		15.8 mm	13.0 mm
ClubScan 250 CT		16.0 mm	13.0 mm
ClubSpot 160 CT		26.5 mm	22.0 mm
ClubSpot 250 CT		26.5 mm	22.0 mm
ClubSpot 300 CT		26.5 mm	22.0 mm
ClubSpot 500 CT		26.5 mm	22.0 mm
Color Mix 150 AT		26.8 mm	22.5 mm
ColorSpot 1200 AT		37.5 mm	31.5 mm
ColorSpot 1200 E AT		37.5 mm	31.5 mm
ColorSpot 1200 E AT Profile		37.3 mm	31.5 mm
ColorSpot 170 AT		26.8 mm	22.0 mm
ColorSpot 250 AT		26.8 mm	22.0 mm
ColorSpot 2500 E AT		37.5 mm	30.0 mm
ColorSpot 2500 E AT II		37.3 mm	31.5 mm
ColorSpot 575 AT		26.8 mm	22.0 mm
ColorSpot 575 E AT		26.8 mm	22.5 mm
ColorSpot 700 E AT		26.8 mm	22.0 mm
DJ Scan 150 XT		16.0 mm	13.0 mm
DJ Scan 250 XT		16.0 mm	13.0 mm
Image Spot 250		37.3 mm	31.0 mm
MS Zoom 250 XT		37.3 mm	31.5 mm
Robin 300 E Spot		26.8 mm	22.5 mm

	Code	Aussenmass	Innenmass
Robin 300 Plasma Spot		26.8 mm	22.5 mm
Robin 300 Spot Classic		26.8 mm	22.0 mm
Robin 600 E Spot		26.8 mm	22.0 mm
Scan 1200 XT (Glas)		49.8 mm	30.0 mm
Scan 1200 XT (Metall)		53.3 mm	30.0 mm
Scan 250 XT		26.8 mm	22.5 mm
	Code	Aussenmass	Innenmass
Scan 575 XT		26.8 mm	22.5 mm
Spot 150 XT		26.8 mm	22.0 mm
Spot 160 XT		26.8 mm	22.5 mm
Spot 250 XT		26.8 mm	22.5 mm
Spot 575 XT		27.0 mm	23.0 mm
XM Zoom 250 XT		37.3 mm	20.0 mm
Pointe		15.9 mm	12.5 mm
MMX Blade		26.8 mm	22.0 mm
MMX Spot		26.8 mm	22.0 mm
DLS Profile		26.9 mm	22.5 mm
DLX		26.9 mm	22.5 mm